



PLANNING EVIDENCE PACK

Oxford Road – Micro Energy Storage Facility

Incidents on record and planning decisions nearby, for a 0.2 MW battery energy storage site

APPLICATION NUMBER

DC/25/70791

PLANNING AUTHORITY

Sandwell

LOCATION

Jnt Of Oxford Road, Middlemore Road,
Smethwick, Sandwell, United Kingdom

PACK REFERENCE

EIR-PACK-D-OXFORD-ROAD-MICRO-ENERGY-
STORAGE-FACILIT

DATA AS OF

29 October 2026

REVIEW STATUS

Made automatically for a decided application,
free to read. Not desk-reviewed.



Contents

	At a glance	3
	The site on a map	4
	The site and the UK record	6
1	Key findings for this site	7
2	Grid-scale battery incidents in the UK (5)	7
3	Planning decisions on battery energy storage schemes nearby	10
4	Every recorded incident within 50 km	13
5	Grid-scale incidents at sites of a similar size	13
6	Lessons for a grid-scale site	13
7	The NFCC guidance points consultees cite	16
8	Questions to put to the applicant	18
9	Worldwide context	20
10	Kept apart: other battery entries in the UK (9)	21
11	Using this pack	22
12	How this pack was made and checked	23

Every figure in this pack comes from the register or the government planning database as they stood on 29 October 2026. Each numbered section names its sources, and every incident links to its entry page, which lists all sources.

At a glance

Oxford Road - Micro Energy Storage Facility

GRID-SCALE BATTERY INCIDENTS IN THE UK

5

1 classed as major

[Section 2](#)

NEAREST UK INCIDENT

88 km

EIR-0058, Preston, Cotswold,
Gloucestershire

[Section 2](#)

NEAREST REFUSED SCHEME

11 km

Six Towers Road, Walsall

[Section 3](#)

SCHEMES REFUSED WITHIN 40 KM

6

final outcome refused, of 26 sites with a refusal, withdrawal or appeal

[Section 3](#)

SCHEMES TAKEN TO APPEAL

9

9 granted on appeal

[Section 3](#)


What the data shows

- 1 The register holds 5 incidents at grid-scale battery sites in the UK, 1 of them major. None lies within 50 km of the site. The nearest, EIR-0058, is about 88 km away.
- 2 Within 40 km, 26 battery energy storage sites have had an application refused, withdrawn or taken to appeal. Final outcomes: 6 refused, 3 withdrawn, 9 granted on appeal, 4 granted, 4 new application undecided. The nearest refused scheme is Six Towers Road, about 11 km away.
- 3 Worldwide the register holds 156 incidents at grid-scale battery energy storage sites in 18 countries; 136 involved fire or overheating. These are counts of published reports, not rates.

Counts are of incidents in the register, which is built from published reporting. They are not rates and not a complete census. Review: Made automatically for a decided application, free to read. Not desk-reviewed.

The site on a map

The site point, with every scheme within 40 km where an application was refused, withdrawn or taken to appeal (section 3), and every incident in the register within the frame. Numbers follow distance from the site. Schemes under 1 MW are not shown.



◆ Site ● Refused ● Granted on appeal ● Granted ● Withdrawn ● Pending or undecided ▲ Incident
 Built-up area — Major road

- 1 Chapel Lane, granted on appeal after resubmission, 7.2 km
- 2 Lowlands Farm, granted on appeal after resubmission, 8.8 km
- 3 Illeybrook Farm, granted on appeal, 9.0 km
- 4 Six Towers Road, refused, 11 km
- 5 Orchard Farm, Langley Road, refused, 16 km
- 6 South Staffordshire Railway Walk..., granted on appeal, 17 km
- 7 Lime Lane, Pelsall, refused, 17 km
- 8 New Road, Featherstone, withdrawn, 18 km
- 9 Henwood Lane, Catherine De Barnes, granted on appeal, 19 km
- 10 Ryton End, Barston, refused, 22 km
- 11 Albrighton Substation..., granted after resubmission, 24 km
- 12 Beechwood Farm, Hodgetts..., new application undecided, 26 km
- 13 Hodgetts Lane, Berkswell, new application undecided, 27 km


- 14 Tanners Lane, granted after resubmission, 27 km
- 15 Astwood Lane, Feckenham, withdrawn, 28 km
- 16 Holly Lane Energy Park, granted on appeal, 28 km
- 17 Armitage Road, Armitage, refused, 28 km
- 18 Feckenham Energy Storage..., new application undecided, 28 km
- 19 Torrington Avenue Battery..., granted after resubmission, 29 km
- 20 Levedale Road, Levedale, granted on appeal, 29 km
- 21 Banner Hill Farm, Banner Hill & Rouncil Lane, refused, 31 km
- 22 Newgate Coalliery, new application undecided, 31 km
- 23 Sherbourne, withdrawn, 35 km
- 24 Lower Farm, Drointon Lane, granted on appeal, 37 km
- 25 Breach Farm, granted after resubmission, 38 km
- 26 Buildwas Bank, granted on appeal, 40 km

Base map made with Natural Earth (naturalearthdata.com, public domain). Scheme points: Renewable Energy Planning Database, Department for Energy Security and Net Zero (Open Government Licence v3.0). Incident points: Energy Incident Register, mapped to a town or a site, never an address. Straight-line

distances.

The site and the UK record

Each grid-scale battery incident in the UK that has a map point, against the site. Section 2 gives each one in full, with a note against the NFCC guidance.



Base map made with Natural Earth (public domain). The blue box is the area of the previous map.

UK grid-scale incidents

- EIR-0058 · 88 km · 2025**
Fire in two battery containers at Cirencester Hybrid Solar Farm, Gloucestershire
- EIR-0584 · 89 km · 2026**
Fire in a battery container at Rufford Colliery BESS, Rainworth; owner attributes it to a short circuit in NMC cells (provisional)
- EIR-0638 · 118 km · 2020**
Explosion and prolonged fire at Orsted battery storage site in Liverpool
- EIR-0109 · 199 km · 2025**
Fire in single battery unit at Thurrock BESS under construction
- EIR-0249 · 222 km · 2026**
Smoke and fire incident at Battery Box, Pinhoe Road, Exeter

● Major ● Significant ● Minor

1 Key findings for this site

- The register holds 5 incidents at grid-scale battery sites in the UK, 1 of them major. Home, farm and business batteries are counted apart (9).
- The nearest is [EIR-0058](#), Fire in two battery containers at Cirencester Hybrid Solar Farm, Gloucestershire, about 88 km from the site.
- No recorded incident lies within 50 km of the site.
- 26 battery energy storage sites within 40 km have had an application refused, withdrawn or taken to appeal. Final outcomes: 6 refused, 3 withdrawn, 9 granted on appeal, 4 granted, 4 new application undecided. The nearest is Chapel Lane - Battery Energy Storage System (granted on appeal after resubmission), 7.2 km away. 11 schemes under 1 MW are listed apart.
- 0 grid-scale incidents worldwide happened at sites between 0.1 and 0.4 MW.

Counts are of incidents in the register, which is built from published reporting. They are not rates and not a complete census.

2 Grid-scale battery incidents in the UK (5)

Nearest to the site first. Distance is a straight line from the site point to the place the entry is mapped to (a town or a site).

REFERENCE	YEAR	INCIDENT	FROM THE SITE	SEVERITY	MW
EIR-0058	2025	Fire in two battery containers at Cirencester Hybrid Solar Farm, Gloucestershire	88 km	Significant	23
EIR-0584	2026	Fire in a battery container at Rufford Colliery BESS, Rainworth; owner attributes it to a short circuit in NMC cells [provisional]	89 km	Significant	7
EIR-0638	2020	Explosion and prolonged fire at Orsted battery storage site in Liverpool	118 km	Major	20
EIR-0109	2025	Fire in single battery unit at Thurrock BESS under construction	199 km	Significant	300
EIR-0249	2026	Smoke and fire incident at Battery Box, Pinhoe Road, Exeter	222 km	Significant	

Each incident against the NFCC guidance

What the reporting says, set against the passages of the National Fire Chiefs Council guidance that fire service consultees cite. The guidance is advice to fire services, not law, and most of these sites were built before its current edition. The notes do not say a site broke it.

[EIR-0058](#) Fire in two battery containers at Cirencester Hybrid Solar Farm, Gloucestershire

Two battery containers burned and crews stopped the fire reaching a third. More than 40 firefighters attended with high volume pumps. Residents were told to keep windows and doors shut and nearby roads were closed. The cause was not confirmed in the reporting. It bears on spacing, on bringing large volumes of water to a rural site, and on planning for neighbours and smoke.

"The emergency response plan should assume that the fire will not spread beyond the BESS container of origin."

Section 12, Spacing between BESS, NFCC guidance (December 2025)

"This should also take account of the ability of/anticipated time for the fire and rescue service to bring larger volumes of water to site (for example through the provision of High Volume Pumps)."

Water Supplies, NFCC first edition (Version 1.0, November 2022)

"The developer should produce a plan that identifies all sensitive receptors within a 1km radius of the site."

Site location, NFCC guidance (December 2025)

"The assessment should recognise that any incident may last several hours."

Site location, NFCC guidance (December 2025)

Main source: cotswoldjournal.co.uk. All sources are on the entry page.

EIR-0584 Fire in a battery container at Rufford Colliery BESS, Rainworth; owner attributes it to a short circuit in NMC cells

A fire in one battery container on 1 May 2026. The fire service was called at 05:21 and, according to the owner, the fire was put out "in short order" with no injuries. The owner said an initial investigation found the cause to be a short circuit in the site's NMC cells, a technology the fund says it has not used in any BESS bought since 2020 and was already augmenting. The entry rests on one trade report, so it is provisional. It bears on cell chemistry and on early fault detection that can isolate a battery remotely.

"From a safety perspective, it is noted that LFP batteries typically have better thermal stability (lowering the probability of thermal runaway) than NMC batteries, but not removing it."

Section 7, Battery chemistry (quoting the 2024 Frazer-Nash report for DESNZ), NFCC guidance (December 2025)

"An effective and appropriate method of early fault detection within the batteries should be in place, making it possible to immediately disconnect the affected battery/batteries remotely."

Section 8, Detection and monitoring, NFCC guidance (December 2025)

Main source: ess-news.com. All sources are on the entry page.

EIR-0638 Explosion and prolonged fire at Orsted battery storage site in Liverpool

The explosion happened before crews arrived. The fitted suppression system did not activate, the site was managed remotely from Denmark and that remote management did not alert the fire service when the alarm actuated, and crews said the risk information for the site was inadequate. Firefighting and monitoring took about 59 hours. The site was built before any NFCC guidance existed. The points it bears on in the current edition are explosion control, alerting the fire service, the limits of suppression, and planning for a long incident.

"BESS containers should be fitted with explosion protection or deflagration venting appropriate to the hazard and battery technology deployed."

Section 10, Explosion control (deflagration protection), NFCC guidance (December 2025)

"How will the BESS and associated equipment be monitored, and what is the process for alerting the fire and rescue service?"

Section 6, questions for the developer (Detection and monitoring), NFCC guidance (December 2025)

"The suppression system, regardless of type, will have little effect on a thermal event within the battery cell."

Section 9, Suppression systems, NFCC guidance (December 2025)

"The assessment should recognise that any incident may last several hours."

Site location, NFCC guidance (December 2025)

Main source: epri.box.com. All sources are on the entry page.

EIR-0109 Fire in single battery unit at Thurrock BESS under construction

A cell fault in one container started the fire while the site was still under construction. The fire service said spacing between units and a reliable local water supply helped stop it spreading. Crews were on site for about 24 hours.

"The emergency response plan should assume that the fire will not spread beyond the BESS container of origin."

Section 12, Spacing between BESS, NFCC guidance (December 2025)

"Therefore, an additional on-site water supply must be accessible to fire and rescue services in the event of an emergency."

Section 14, Water supplies, NFCC guidance (December 2025)

"A standard minimum spacing between units of 6 metres is suggested unless suitable design features can be introduced to reduce that spacing."

Access between BESS units and unit spacing, NFCC first edition (Version 1.0, November 2022)

"As a minimum, it is recommended that hydrant supplies for boundary cooling purposes should be located close to BESS containers (but considering safe access in the event of a fire) and should be capable of delivering no less than 1,900 litres per minute for at least 2 hours."

Water Supplies, NFCC first edition (Version 1.0, November 2022)

Main source: energy-storage.news. All sources are on the entry page.

EIR-0249 Smoke and fire incident at Battery Box, Pinhoe Road, Exeter

Smoke came from the cabinet housing the grid connection, not from the battery modules, which the operator said were unaffected. The operator shut the batteries down and crews isolated the unit from the nearby substation. The capacity was not reported, so it may be below the 1 MWh the guidance covers. It bears on fire starting in equipment around the batteries, and on isolation points.

"Prevention of fire ignition on-site that could spread to BESS and associated infrastructure (for example, inverters, switchgear, and transformers)."

Section 2, Principles (principle 6), NFCC guidance (December 2025)

"Emergency shutoff or isolator locations"


Section 16, Outline battery safety management plan, NFCC guidance (December 2025)

Main source: bbc.com. All sources are on the entry page.

3 Planning decisions on battery energy storage schemes nearby

Sites within 40 km of the site where an application was refused, withdrawn or taken to appeal, from the government's Renewable Energy Planning Database, those in Sandwell first. Each row is one site: a refused scheme that was sent in again is one row, with every application listed. The final outcome is that of the latest application. Schemes under 1 MW are listed apart, below the table. Councils with a scheme in this radius: Sandwell, Birmingham, Walsall, Dudley, Bromsgrove, Wolverhampton, Solihull, South Staffordshire, North Warwickshire, Cannock Chase, Stratford-on-Avon, Lichfield, Wychavon, Shropshire, Redditch, Warwick, Coventry, Nuneaton and Bedworth, South Derbyshire, Telford and Wrekin, Stafford, Rugby. The database does not record the reasons for a decision; the council's planning record does, under the application number.

Final outcomes of the 26 sites within 40 km



One count per site: the outcome of its latest application. "Granted" includes grants after an earlier refusal or withdrawal. Schemes under 1 MW (11) are listed apart and not counted here. Abandoned schemes are not counted. Source: Renewable Energy Planning Database (Open Government Licence v3.0). The table below gives every site.

SITE	COUNCIL	APPLICATIONS	FINAL OUTCOME	MW	FROM THE SITE
Chapel Lane - Battery Energy Storage System	Walsall	21/1720: submitted 6 Dec 2021, refused 13 Dec 2022 23/1286: submitted 5 Oct 2023, appeal lodged 3 Jul 2024, appeal granted 13 Jan 2025, granted 13 Jan 2025	Granted on appeal after resubmission 2 applications	49.35	7.2 km
Lowlands Farm - Battery Storage	Dudley	P22/0541: submitted 17 May 2022, refused 15 Aug 2022 P22/1733: submitted 30 Nov 2022, refused 27 Sep 2023, appeal lodged 25 Mar 2024, appeal granted 4 Sep 2024	Granted on appeal after resubmission 2 applications	50	8.8 km
Illeybrook Farm - Battery Energy Storage	Dudley	P23/0940: submitted 24 Jul 2023, refused 2 Feb 2024, appeal lodged 5 Jun 2024, appeal granted 4 Feb 2025, granted 4 Feb 2025	Granted on appeal	99.8	9.0 km
Six Towers Road - Battery Storage	Walsall	22/0643: submitted 12 May 2022, refused 31 Aug 2023 24/0853: submitted 14 Aug 2024, refused 27 May 2025	Refused 2 applications		11 km

SITE	COUNCIL	APPLICATIONS	FINAL OUTCOME	MW	FROM THE SITE
Orchard Farm, Langley Road - Battery Energy Storage System	South Staffordshire	24/01102/FULM: submitted 14 Jan 2025, refused 22 Dec 2025	Refused	100	16 km
South Staffordshire Railway Walk, Castlecroft - Battery Storage	South Staffordshire	21/00440/FUL: submitted 14 May 2021, refused 23 Dec 2021, appeal lodged 12 Apr 2022, appeal granted 16 Aug 2022, granted 16 Aug 2022	Granted on appeal	50	17 km
Lime Lane, Pelsall - Battery Energy Storage System	Cannock Chase	CH/25/0225: submitted 23 Jul 2025, refused 28 May 2026	Refused	100	17 km
New Road, Featherstone - Battery Storage	South Staffordshire	23/01031/OUTM: submitted 7 Dec 2023, withdrawn 25 Nov 2024	Withdrawn	100	18 km
Henwood Lane, Catherine De Barnes - Battery Storage Facility	Solihull	PL/2023/01954/PPFL: submitted 18 Sep 2023, refused 22 May 2024, appeal granted 30 Jul 2025, granted 30 Jul 2025	Granted on appeal	98	19 km
Ryton End, Barston - Battery Storage	Solihull	PL/2022/02068/PPFL: submitted 27 Sep 2022, refused 2 May 2024	Refused	15	22 km
Albrighton Substation, Beamish Lane - Battery Storage	Shropshire	22/05043/FUL: submitted 28 Nov 2022, withdrawn 12 Apr 2023 23/04541/FUL: submitted 2 Nov 2023, granted 26 Feb 2024	Granted after resubmission 2 applications	7	24 km
Beechwood Farm, Hodgetts Lane - Battery Storage	Solihull	PL/2023/00839/PPFL: submitted 18 Apr 2023, refused 10 Nov 2023, appeal lodged 8 May 2024, appeal granted 9 Jan 2025, granted 9 Jan 2025 PL/2024/01392/PPFL: submitted 19 Jul 2024	New application undecided 2 applications	57	26 km
Hodgetts Lane, Berkswell - Electricity Storage Facility	Solihull	PL/2022/02581/PPFL: submitted 8 Dec 2022 PL/2023/01595/PPFL: submitted 28 Jul 2023 PL/2023/02196/PPFL: submitted 25 Oct 2023, refused 28 Mar 2024, appeal lodged 16 Jul 2024, appeal granted 25 Jan 2025, granted 25 Jan 2025 PL/2024/01261/PPFL: submitted 2 Jul 2024	New application undecided 4 applications	49.9	27 km
Tanners Lane - Battery Energy Storage System	Solihull	PL/2023/02051/PPFL: submitted 2 Oct 2023, withdrawn 5 Mar 2024 PL/2024/02694/PPFL: submitted 6 Nov 2024, granted 23 Jun 2025	Granted after resubmission 2 applications	30	27 km

SITE	COUNCIL	APPLICATIONS	FINAL OUTCOME	MW	FROM THE SITE
Astwood Lane, Feckenham - Battery Storage	Redditch	21/00195/FUL: submitted 21 Jan 2021, granted 21 Jan 2022 23/00417/FUL: submitted 31 Mar 2023, withdrawn 6 Jun 2025	Withdrawn 2 applications	200	28 km
Holly Lane Energy Park - Solar Farm & Battery Storage	Warwick	W/23/1358: submitted 14 Sep 2023, refused 23 Apr 2024, appeal lodged 1 Jul 2024, appeal granted 30 Jan 2025, granted 30 Jan 2025	Granted on appeal	75	28 km
Armitage Road, Armitage - Battery Energy Storage	Lichfield	25/01399/FULM: submitted 14 Nov 2025, refused 4 Mar 2026	Refused	200	28 km
Feckenham Energy Storage System	Redditch	17/00453/FUL: submitted 28 Apr 2017, withdrawn 13 Nov 2017 25/00628/FUL: submitted 27 May 2025	New application undecided 2 applications	18	28 km
Torrington Avenue Battery Storage Facility	Coventry	FUL/2021/1299: submitted 21 May 2021, withdrawn 29 Jun 2021 PL/2024/0000114/FULM: submitted 14 Jan 2024, granted 15 Apr 2024	Granted after resubmission 2 applications	25 to 30	29 km
Levedale Road, Levedale - Battery Energy Storage	South Staffordshire	23/00145/FUL: submitted 21 Mar 2023, refused 23 Nov 2023, appeal lodged 20 May 2024, appeal granted 6 Dec 2024, granted 6 Dec 2024	Granted on appeal	50	29 km
Banner Hill Farm, Banner Hill & Rouncil Lane - Battery Storage	Warwick	W/22/0941: submitted 5 Aug 2022, refused 30 Sep 2022	Refused	49.9	31 km
Newgate Coalliery - Solar Farm & Battery Storage	Nuneaton and Bedworth	39547: submitted 5 Apr 2023, withdrawn 24 Jul 2023 40290: submitted 10 May 2024	New application undecided 2 applications	5	31 km
Sherbourne - Solar Farm	Warwick	W/22/0997: submitted 10 Jun 2022, withdrawn 8 Sep 2022	Withdrawn		35 km
Lower Farm, Drointon Lane - Solar farm & Battery Energy Storage	Stafford	23/36938/FUL: submitted 17 Mar 2023, refused 2 Aug 2024, appeal lodged 23 Dec 2024, appeal granted 14 Jan 2025, granted 14 Jan 2025	Granted on appeal	30	37 km
Breach Farm - Energy Barn	South Derbyshire	9/2017/0154: submitted 16 Feb 2017, withdrawn 5 May 2017 9/2017/0541: submitted 18 May 2017, granted 15 Aug 2017	Granted after resubmission 2 applications	40	38 km
Buildwas Bank - Battery Energy Storage	Telford and Wrekin	TWC/2023/0714: submitted 22 Sep 2023, refused 27 Sep 2024, appeal granted 20 Aug 2025, granted 20 Aug 2025	Granted on appeal		40 km

Under 1 MW, kept apart (11): Lewis Road, Perry Hill Lane (Sandwell, refused, 5.0 km); Coneygre Family Centre, Sedgley Road

East (Sandwell, withdrawn, 6.7 km); Salop Street, City Centre (Wolverhampton, refused, 15 km); Saxon Road (South Staffordshire, refused, 26 km); Halesfield 1 Roundabout, Halesfield (Telford and Wrekin, refused, 35 km); Micro Energy Storage Unit, Kenilworth Road (Warwick, refused, 36 km); Stafford Park (Telford and Wrekin, granted on appeal, 36 km); Radford House (Telford and Wrekin, granted on appeal, 37 km); Euston Way (Telford and Wrekin, withdrawn, 38 km); Duce Drive, Dawley (Telford and Wrekin, withdrawn, 38 km); Oakengates Leisure Centre, New Road (Telford and Wrekin, withdrawn, 40 km).

Not counted: Former Rugeley Power Station (Cannock Chase, abandoned without a decision, 28 km); Bishampton Solar Farm (Wychavon, abandoned without a decision, 38 km).

All battery energy storage applications within 40 km by database status: Awaiting Construction 87, Application Submitted 24, Revised 14, Application Refused 11, Operational 9, Application Withdrawn 7, Planning Permission Expired 2, Abandoned 2, Under Construction 2. A "council record" mark means the council's own planning record shows a decision the government database did not yet have; the site page explains it. A "newer official status" mark means an official source (a council record or committee minutes, the Scottish Government or the Planning Inspectorate) shows a newer status than the government database; the outcome uses it, and the row names the source and the day it was checked.

4 Every recorded incident within 50 km

Measured on a map from the planning record for Oxford Road - Micro Energy Storage Facility. Every size of site is included here, so a home battery fire nearby is shown, marked as such. Entries are found by their map point only, never by matching words in the text. 3 UK entries have no map point yet and cannot be measured.

None within 50 km.

5 Grid-scale incidents at sites of a similar size

Sites between 0.1 and 0.4 MW, worldwide, newest first. Capacity is the site's, where the reporting gives it.

None in this range.

6 Lessons for a grid-scale site

The lessons written into the register's entries: every UK grid-scale incident first, then major grid-scale incidents elsewhere. No home battery lessons. Each is the register's reading of the published reporting, not a finding by an investigator.

1. BESS containers need verified automatic fire suppression that activates on detection, as the system here failed to actuate and allowed thermal runaway to continue. [EIR-0638](#)
2. A site monitored remotely must alert the local fire service as soon as its fire alarm actuates. Here the site was managed remotely by Orsted from Denmark, and that remote management did not alert the fire service when the alarm actuated. Orsted first contacted Fire Control at about 01:30, after the first crew had arrived at 00:57. [EIR-0638](#)
3. Site risk information must include BESS layout, chemistry and voltage so crews can plan defensive tactics before arrival, given the explosion and debris. [EIR-0638](#)
4. Grid connection cabinets at battery sites need routine thermal and electrical checks as well as the battery modules. [EIR-0249](#)
5. Operators should agree isolation steps with the network operator in advance so fire crews can act quickly. [EIR-0249](#)
6. Joint reviews with the network operator help separate grid faults from battery faults. [EIR-0249](#)

7. A short circuit in NMC lithium-ion cells can start a fire, so operators should fit detection systems able to isolate strings before thermal runaway spreads. [EIR-0584](#)
8. Battery management systems must be proven to detect abnormal cell voltage or temperature early, as the trigger for this short circuit was not stated. [EIR-0584](#)
9. Owners should publish cause findings after a BESS fire, as the owner did here, so other operators can check the same failure mode in their own fleets. [EIR-0584](#)
10. Lithium-ion battery container fires can spread between enclosures, so operators should verify separation distances and compartment barriers during design reviews. [EIR-0058](#)
11. Smoke from burning battery materials requires advance shelter advice for nearby residents at rural sites. [EIR-0058](#)
12. Unmanned hybrid sites need remote monitoring that identifies involved enclosures before crews arrive. [EIR-0058](#)
13. Containerised battery units must keep designed spacing during construction, as separation limited spread after a cell fault led to ignition. [EIR-0109](#)
14. Fire response plans and contacts must be agreed with local crews from the start of construction, as the site was evacuated and handed back after the fire. [EIR-0109](#)
15. Unenergised battery units remain a fire risk in the construction phase, so risk assessments must cover evacuation triggers and site handover. [EIR-0109](#)
16. Grid-scale storage in a single large building rather than separate containers requires review of total fire load and internal barriers to limit propagation between racks. [EIR-0010](#)
17. A pattern of repeated minor thermal events at a site should trigger a documented root cause review before adding further capacity. [EIR-0010](#)
18. Plan in advance for reignition during the days and weeks after the initial event, including continued monitoring and safe removal of damaged units. [EIR-0010](#)
19. Grid scale lithium ion battery fires can produce weeks of flare ups, so operators must plan for extended site security and monitoring after the initial event. [EIR-0013](#)
20. Cleanup of fire damaged lithium ion cells requires environmental monitoring and specialist disposal, so contracts and protocols should be ready before any incident. [EIR-0013](#)
21. Regulatory settlements after battery fires can impose months of reporting duties without fines, so emergency plans must allocate staff for ongoing compliance. [EIR-0013](#)
22. Co-located solar and battery sites need isolation plans that cover both electrical faults and thermal events together. [EIR-0006](#)
23. Evacuation plans for sites near schools and businesses must account for toxic smoke from lithium-ion events. [EIR-0006](#)
24. Water supply planning for co-located sites must cover sustained high volumes over multiple days. [EIR-0006](#)
25. NMC lithium-ion cells in a utility-scale BESS can produce flare-ups for days, so operators must plan for prolonged monitoring and exclusion zones after the first signs of thermal runaway. [EIR-0001](#)
26. A prior thermal event at the same BESS site raises the chance of repeat failure, so response plans must record and brief staff on that history. [EIR-0001](#)
27. NMC cells and high cell density increase propagation risk, so operators should verify that enclosure spacing and containment match the chosen chemistry in the safety case. [EIR-0001](#)

28. NOVEC 1230 fire-suppression gas combined with firefighting water at a BESS site can form PFPrA at 10,000 parts per billion, so operators should test suppression chemistry for persistent environmental byproducts before use. [EIR-0643](#)
29. Only 0.04 per cent of batteries burned at this modular containerised site, so insurers should verify that design limits fire spread compared with enclosed buildings. [EIR-0643](#)
30. Four water wells 2,500 feet from the plant were taken out of service after PFPrA detection, so operators must agree groundwater testing protocols with regulators in advance. [EIR-0643](#)
31. A lithium-ion battery at 95% state of charge releases large stored energy during fire, so operators should supply state of charge data to responders before any incident. [EIR-0130](#)
32. Opening a battery container after inert gas suppression can trigger thermal event and explosion, so procedures must set safe stand-off distances before doors are opened. [EIR-0130](#)
33. Automatic fire suppression systems may fail to stop thermal runaway in lithium-ion containers once it starts, so operators should plan for remote isolation and long-duration response. [EIR-0135](#)
34. Critical data servers inside battery containers risk total data loss in a fire, so they should be placed in a separate enclosure. [EIR-0135](#)
35. Battery fires can last several days, so emergency plans must include sustained cooling and exclusion zones rather than short interventions. [EIR-0135](#)
36. A lithium-ion BESS fire may require robotic entry to assess gases before any person goes inside, so operators should arrange remote entry tools with the fire service in advance. [EIR-0025](#)
37. Sprinkler systems in battery storage buildings are designed for containment over many days, so plans must cover prolonged water supply, drainage and run-off control. [EIR-0025](#)
38. A prior explosion at a nearby battery site led to a defensive response here, so local fire services should embed earlier incident findings in pre-plans for similar facilities. [EIR-0025](#)
39. Liquid cooling system leaks in Megapack units can cause arcing in power electronics, so pressure test and inspect every circuit after installation before energisation. [EIR-0012](#)
40. SCADA mapping latency of around 24 hours during commissioning leaves new units unmonitored, so do not energise until full telemetry and alarms are verified active. [EIR-0012](#)

7 The NFCC guidance points consultees cite

Quoted word for word from NFCC, [Grid scale energy storage system planning: Guidance for fire and rescue services](#) (approved for publication in December 2025, replacing the first edition), checked on 8 October 2026. Many consultee responses still quote the [first edition](#) (Version 1.0, November 2022), so its figures are given too, marked as such.

Scope

"This guidance relates to battery energy storage systems (BESS) which are deployed in open air environments, with an energy capacity of one megawatt hour (MWh) or greater using lithium variant batteries."

Section 1, Scope, NFCC guidance (December 2025)

"Domestic BESS are outside the scope of this guidance."

Section 1, Scope, NFCC guidance (December 2025)

"As such, the fire and rescue service are not a statutory consultee in planning applications for BESS sites."

Section 4, Planning approval process, NFCC guidance (December 2025)

Spacing between units, and to buildings

"The emergency response plan should assume that the fire will not spread beyond the BESS container of origin."

Section 12, Spacing between BESS, NFCC guidance (December 2025)

"An initial minimum distance of 30m is proposed between BESS cabinets (or associated infrastructure such as transformers and switchgear) and occupied buildings, before considering any mitigation such as blast walls."

Section 12, Spacing between BESS, NFCC guidance (December 2025)

"A standard minimum spacing between units of 6 metres is suggested unless suitable design features can be introduced to reduce that spacing."

Access between BESS units and unit spacing, NFCC first edition (Version 1.0, November 2022)

Water for firefighting

"Therefore, an additional on-site water supply must be accessible to fire and rescue services in the event of an emergency."

Section 14, Water supplies, NFCC guidance (December 2025)

"Fire hydrants provided should achieve a flow rate of no less than 25L/sec at any hydrant on the site."

Section 14, Water supplies, NFCC guidance (December 2025)

"Where a flow of 25L/sec cannot be achieved, it would be prudent to provide an equivalent static supply of water on site that will provide for the same flow rate for a duration of 120 minutes. This equates to approximately 180,000L of water."

Section 14, Water supplies, NFCC guidance (December 2025)

"As a minimum, it is recommended that hydrant supplies for boundary cooling purposes should be located close to BESS containers (but considering safe access in the event of a fire) and should be capable of delivering no less than 1,900 litres per minute for at least 2 hours."

Water Supplies, NFCC first edition (Version 1.0, November 2022)

Detection, alerting and isolation

"An effective and appropriate method of early fault detection within the batteries should be in place, making it possible to immediately disconnect the affected battery/batteries remotely."

Section 8, Detection and monitoring, NFCC guidance (December 2025)

"How will the BESS and associated equipment be monitored, and what is the process for alerting the fire and rescue service?"

Section 6, questions for the developer (Detection and monitoring), NFCC guidance (December 2025)

"How the fire and rescue service will be alerted"

Section 16, Outline battery safety management plan, NFCC guidance (December 2025)

"Emergency shutoff or isolator locations"

Section 16, Outline battery safety management plan, NFCC guidance (December 2025)

Suppression and explosion control

"The suppression system, regardless of type, will have little effect on a thermal event within the battery cell."

Section 9, Suppression systems, NFCC guidance (December 2025)

"BESS containers should be fitted with explosion protection or deflagration venting appropriate to the hazard and battery technology deployed."

Section 10, Explosion control (deflagration protection), NFCC guidance (December 2025)

Access, neighbours and how long an incident lasts

"It is therefore preferable to have an alternative access point, taking account of the likely wind direction."

Section 11, Access (Site access), NFCC guidance (December 2025)

"The developer should produce a plan that identifies all sensitive receptors within a 1km radius of the site."

Site location, NFCC guidance (December 2025)

"The assessment should recognise that any incident may last several hours."

Site location, NFCC guidance (December 2025)

8 Questions to put to the applicant

Each question asks for information the guidance in section 7 says a battery site should have. It names where an application usually holds the answer, the passages it rests on, and the UK entries where the point came up. Asking for information does not say a scheme is unsafe; the same questions serve a council, a neighbour, or an applicant checking its own submission.

1. Spacing

What spacing does the layout show between battery units, and between the batteries, transformers and switchgear and the nearest occupied building? Does the emergency response plan assume a fire stays in the unit where it starts?

Where the answer usually is: The site layout plan and the outline battery safety management plan.

Rests on: Section 12, Spacing between BESS; Access between BESS units and unit spacing (first edition), quoted in section 7.

Where it came up in the UK: EIR-0058 (Fire in two battery containers at Cirencester Hybrid Solar Farm, Gloucestershire); EIR-0109 (Fire in single battery unit at Thurrock BESS under construction). Section 2 has the note on each.

2. Water

Where will water for firefighting come from: hydrants on the site and the flow they give, or a supply stored on the site, and for how long?

Where the answer usually is: The outline battery safety management plan, a water supply statement, or the fire and rescue service's comments.

Rests on: Section 14, Water supplies, quoted in section 7.

Where it came up in the UK: EIR-0109 (Fire in single battery unit at Thurrock BESS under construction). Section 2 has the note on each.

3. Detection and alerting

How will a fault inside a battery be detected, how will the fire and rescue service be alerted, and where are the emergency isolators?

Where the answer usually is: The outline battery safety management plan.

Rests on: Section 8, Detection and monitoring; Section 6, questions for the developer (Detection and monitoring); Section 16, Outline battery safety management plan, quoted in section 7.

Where it came up in the UK: EIR-0249 (Smoke and fire incident at Battery Box, Pinhoe Road, Exeter); EIR-0584 (Fire in a battery container at Rufford Colliery BESS, Rainworth; owner attributes it to a short circuit in NMC cells); EIR-0638 (Explosion and prolonged fire at Orsted battery storage site in Liverpool). Section 2 has the note on each.

4. Explosion control

What explosion protection or deflagration venting will the units have, and what is the fitted suppression system expected to do?

Where the answer usually is: The equipment specification or the outline battery safety management plan.

Rests on: Section 10, Explosion control (deflagration protection); Section 9, Suppression systems, quoted in section 7.

Where it came up in the UK: EIR-0638 (Explosion and prolonged fire at Orsted battery storage site in Liverpool). Section 2 has the note on each.

5. Neighbours and access

Which sensitive receptors within 1 km have been identified, is there a second way in for fire engines, and does the plan allow for an incident lasting several hours?

Where the answer usually is: The outline battery safety management plan, the emergency response plan and the transport or access statement.

Rests on: Site location; Section 11, Access (Site access), quoted in section 7.

Where it came up in the UK: EIR-0058 (Fire in two battery containers at Cirencester Hybrid Solar Farm, Gloucestershire); EIR-0638 (Explosion and prolonged fire at Orsted battery storage site in Liverpool). Section 2 has the note on each.

6. The fire and rescue service

Has the applicant engaged the local fire and rescue service, and has the planning authority had its comments?

Where the answer usually is: The planning file: consultation responses, or the applicant's statement of engagement.

Rests on: Section 4, Planning approval process, quoted in section 7.

7. Battery chemistry

Which battery chemistry is proposed?

Where the answer usually is: The design and access statement or the equipment specification.

Rests on: Section 7, Battery chemistry (quoting the 2024 Frazer-Nash report for DESNZ), quoted in section 7.

Where it came up in the UK: EIR-0584 (Fire in a battery container at Rufford Colliery BESS, Rainworth; owner attributes it to a short circuit in NMC cells). Section 2 has the note on each.

Conditions to ask for, if permission is granted

A consultee can ask the planning authority to attach conditions to a permission, whatever its view of the scheme. These follow the guidance in section 7. The planning authority decides which conditions to attach and how they are worded.

1. Before construction starts, a battery safety management plan in line with the NFCC guidance, approved by the planning authority after consulting the fire and rescue service. (Section 16, Outline battery safety management plan; Section 4, Planning approval process)
2. Before the batteries are first energised, the firefighting water supply set out in that plan installed and working. (Section 14, Water supplies)
3. Before the site operates, an emergency response plan shared with the fire and rescue service, saying how it will be alerted and where the isolators are. (Section 6, questions for the developer (Detection and monitoring); Section 16, Outline battery safety management plan; Site location)
4. The site built to the approved layout, keeping the spacing shown between units and to occupied buildings. (Section 12, Spacing between BESS)

Making a response count

- Tie each point to a document in the application, a passage of guidance, or a recorded incident. A planning officer can weigh a specific, sourced point more easily than a general concern.
- Ask for information, or for conditions. A planning officer can act on both.
- Keep to matters a planning authority can weigh, such as safety, access and the effect on neighbours.


- Quote the guidance and the entries with their citations (section 11 has paragraphs ready to paste).

Information only. It is not legal, planning or fire safety advice.

9 Worldwide context

156 incidents at grid-scale battery energy storage sites in 18 countries; 136 involved fire or overheating and 17 are classed as major. 33 further entries are home, farm or business batteries, or not battery failures, and are not counted here.

Grid-scale incidents by year: worldwide and UK



Counts of grid-scale incidents in the register by the year they happened; 4 earlier entries are not shown. More recent years hold more entries partly because more is reported and found online. A rising count is not, by itself, a rising rate. The same figures are in the table below.

YEAR	WOR LDW IDE	UK
2026	23	2
2025	25	2
2024	19	0
2023	25	0
2022	17	0
2021	8	0
2020	2	1
2019	15	0
2018	14	0
2017	4	0
Earlier	4	

STAGE OF LIFE	INCIDENTS	SHARE
Commissioning	15	10%
Normal operation	110	71%
Maintenance	1	1%
End-of-life	1	1%
Not stated	29	19%

More recent years hold more entries partly because more is reported and found online. A rising count is not, by itself, a rising rate.

10 Kept apart: other battery entries in the UK (9)

Home, farm and business batteries, concerns raised where nothing failed, and events at battery sites that were not battery failures. NFCC's grid-scale guidance does not cover home batteries ("Domestic BESS are outside the scope of this guidance."), so they are listed here and not in the tables above.

REFERENCE	YEAR	INCIDENT	COUNTRY	KIND OF SITE
EIR-1520	2026	Fire in home battery storage system connected to solar panels	United Kingdom	Home battery
EIR-0681	2026	Gas leak at Cockenzie battery storage site under construction [provisional]	United Kingdom	Not a battery failure
EIR-0462	2025	Mini battery storage system ignites garden shed fire in Wickford, Essex [provisional]	United Kingdom	Home battery
EIR-0459	2025	Domestic fire reported to have prompted a safety warning about solar battery storage [provisional]	United Kingdom	Home battery
EIR-1514	2024	Garage fire destroys solar panels in Southgate, with a battery storage fault suspected [provisional]	United Kingdom	Home battery
EIR-1400	2023	Solar panel and battery fire at a bungalow on Anglesey [provisional]	United Kingdom	Home battery
EIR-2173	2023	Solar battery smoke prompts fire crew response at Denton home	United Kingdom	Home battery
EIR-1537	2021	Garage fire from overheated solar batteries in South Woodham Ferrers [provisional]	United Kingdom	Home battery
EIR-0023	2018	Battery storage site commissioned without on site fire water provision, concern raised before any incident	United Kingdom	Concern, no incident

11 Using this pack

Paragraphs you can paste into a planning statement or a consultee response. They are neutral, use only figures from this pack, and each carries its citation. Please keep the citation with the text.

Incidents in the UK

The Energy Incident Register, a public record built from published reporting, lists 5 incidents at grid-scale battery energy storage sites in the UK as of 29 October 2026, 1 of them classed as major. The nearest to the site is EIR-0058 (Fire in two battery containers at Cirencester Hybrid Solar Farm, Gloucestershire), about 88 km away in a straight line.

Source: Energy Incident Register, planning evidence pack EIR-PACK-D-OXFORD-ROAD-MICRO-ENERGY-STORAGE-FACILIT, section 2, data as of 29 October 2026. Entry EIR-0058: <https://energyincidentregister.com/incident/eir-0058/>

Planning decisions nearby

The Renewable Energy Planning Database records 26 battery energy storage sites within 40 km of the site where an application was refused, withdrawn or taken to appeal. Their final outcomes are: 6 refused, 3 withdrawn, 9 granted on appeal, 4 granted, 4 new application undecided. The nearest refused scheme is Six Towers Road (Walsall, application 24/0853), about 11 km from the site.

Source: Department for Energy Security and Net Zero, Renewable Energy Planning Database (Open Government Licence v3.0), as grouped by site in Energy Incident Register planning evidence pack EIR-PACK-D-OXFORD-ROAD-MICRO-ENERGY-STORAGE-FACILIT, section 3, data as of 29 October 2026.

Status of the fire service guidance

The National Fire Chiefs Council guidance for fire and rescue services on grid scale energy storage planning states: "As such, the fire and rescue service are not a statutory consultee in planning applications for BESS sites." It also states: "An effective and appropriate method of early fault detection within the batteries should be in place, making it possible to immediately disconnect the affected battery/batteries remotely."

Source: NFCC, Grid scale energy storage system planning: Guidance for fire and rescue services (approved for publication in December 2025, replacing the first edition), Section 4, Planning approval process and Section 8, Detection and monitoring. <https://nfcc.org.uk/our-services/building-safety/grid-scale-energy-storage-system-planning-guidance-for-fire-and-rescue-services/>

Worldwide context

Worldwide, the Energy Incident Register lists 156 incidents at grid-scale battery energy storage sites in 18 countries as of 29 October 2026. Of these, 136 involved fire or overheating and 17 are classed as major. The register counts published reports of incidents; the figures are not failure rates.

Source: Energy Incident Register, planning evidence pack EIR-PACK-D-OXFORD-ROAD-MICRO-ENERGY-STORAGE-FACILIT, section 9, data as of 29 October 2026.

12 How this pack was made and checked

1. The register is built from published reporting: news, fire service statements, regulators and court records. Each entry lists its sources on its own page. Entries marked provisional rest on thinner sourcing and are rechecked.
2. Grid-scale or not: an entry is grid-scale unless its reporting describes a home, farm or business battery, or an event that was not a battery failure. The rule is the same for every pack.
3. Distances are measured from the site point (the planning record for Oxford Road - Micro Energy Storage Facility) to each entry's map point, which is a town or a site, never an address.
4. Planning decisions come from the government's Renewable Energy Planning Database (Open Government Licence v3.0), with corrections where a council's own record shows a later decision.
5. **Desk review.** The EIR editorial desk checks each bought pack within 2 working days (Monday to Friday) of the order:
 - a. The site point and planning authority match the planning record, or the details the buyer gave.
 - b. Each UK incident is a separate event, not one fire written twice, and sits in the right table: grid-scale sites in the main table, home, farm and business batteries apart.
 - c. Each UK grid-scale incident has a note, and every quoted passage matches the NFCC text at the link given.
 - d. The three nearest planning decisions match the council's own planning record.
 - e. The distances to the nearest incidents look right on a map.
 - f. Nothing in the pack comes from a confidential submission or names a private person.
6. If anything needs changing, the desk makes a new version and emails the link. Every version is fixed and dated, and earlier versions stay available at the same link. The method is at energyincidentregister.com/pack-method.
7. Information only. It is not engineering, fire safety or legal advice. See [the disclaimer](#).

How to cite: Energy Incident Register, planning evidence pack EIR-PACK-D-OXFORD-ROAD-MICRO-ENERGY-STORAGE-FACILIT, data as of 29 October 2026, energyincidentregister.com.

A correction to any entry is free for anyone: [corrections](#). Questions about this pack: editor@energyincidentregister.com.